

North Sailor Street Improvements - 2019 Construction Newsletter

May 14, 2020

Construction:

- Bituminous Streets
- Sanitary Sewer
- Watermain
- Water & Sewer Services
- Storm Sewer

Construction schedule:

Start: June 26, 2019

Finish: June 30, 2020

Final Lift: June 30, 2020

City of Blue Earth

125 West Sixth Street, P.O. Box 38
Blue Earth, MN 56013-0038
Kim Moore, City Administrator
Phone: (507) 526-7336
Email: kmoores@bcecity.org

Bolton & Menk, Inc.

1501 South State Street, Suite 100
Fairmont, MN 56031
Phone: (507) 238-4738
Fax: (507) 238-4732
www.bolton-menk.com

Wesley W. Brown, P.E.
Blue Earth City Engineer
Cell: (507) 381-0380
E-mail: wesley.brown@bolton-menk.com

Ben Rosol
Construction Representative
Cell Phone: (507) 236-6357
E-mail: benjamin.rosol@bolton-menk.com

Holtmeier Construction, Inc.
3301 Third Avenue
Mankato, MN 56001



CARING FOR YOUR NEW SOD & TREES

Now that your new sod and boulevard trees are in place, we ask for your help to ensure successful establishment. Please avoid walking or driving on your new sod for the first three weeks and follow these care instructions:

MOWING - To ensure successful turf establishment it is important not to mow the sod too short, particularly in the first few weeks.

The first few times you mow the sod, set the mower deck at least 3-inches high or at the highest setting. Do not cut more than half the plant off at a time. The leaf blades are all that remains for the plant to live until the root system has had time to fully establish itself in your yard. It is important to use caution when mowing the sod for the first growing season after placement and remember it is better to have long green grass than short brown grass and dirt.

WATERING - The Contractor will water the sod and trees as needed for 30 days after installation. Even during this period, if you notice the sod is drying out, please water it accordingly.

You will be responsible for watering and maintenance of your sod and trees after the 30-day maintenance period expires. New sod roots take up to a year to reach full length and require at least 2-inches of water per week in three or four applications. This can be reduced of course when it rains. To check if you are watering enough, place a shallow, flat-bottomed container under the sprinkler. Then just measure the water depth in the container.

Trees should be watered with about 20 gallons of water once per week. If you are already watering the sod adjacent to your tree as described above, you do not need to add additional water for the tree. The water being placed on the sod will soak into the soil and will be adequate to support the new tree.

FERTILIZING - Your sod was fertilized where it was grown and again during installation; therefore, it will not need fertilizer during the maintenance period. If you fertilize sooner, you risk killing the sod.

If you notice problems with the placement and/or condition of your new sod or tree, please contact Ben Rosol immediately at (507) 236-6357.

Following these steps will restore your lawn to its prior condition as quickly as possible. This will take a little time and patience, and we thank you for both.